



CURATING  
TOMORROW

# Museum collections and biodiversity conservation

01



**How can UK museum collections effectively support the conservation of global biodiversity, through supporting biodiversity-related research, management and policy?**



**CURATING  
TOMORROW**

## Curating Tomorrow

**C**urating Tomorrow is a consultancy for museums and the heritage sector, helping them draw on their unique resources to enhance their contributions to society and the natural environment, the Sustainable Development Goals, climate action and nature conservation. Curating Tomorrow also applies the museum-based skill of curating to thinking about and addressing real-world challenges, not necessarily involving museums or museum collections. Curating Tomorrow draws on high-quality information and research; combines creativity and imagination with focus,

selection and attention to the real world; and has a strong focus on supporting positive change. Depending on the context, this could involve curating collections, research, ideas, partnerships, exhibitions, events, consultations, policies and/or strategies together to address key challenges and questions. It will always involve enhancing your social and environmental impact through focused action directed to positive goals. Everyone has a part to play, Curating Tomorrow can help them play it.

Henry McGhie, Curating Tomorrow  
henrymcghie@curatingtomorrow.co.uk



---

Suggested citation:

McGhie, H.A. (2019). *Museum collections and biodiversity conservation*. Curating Tomorrow, UK.

Available at [www.curatingtomorrow.co.uk](http://www.curatingtomorrow.co.uk)

© Curating Tomorrow, 2019

# Contents

- 06 Who is this booklet for?
- 07 Introduction
- 08 The State of Nature: an ongoing decline
- 14 Museums and the conservation of global biodiversity
- 17 How are natural history collections useful for research? An example
- 20 Where are natural history collections in the UK?
- 23 How can museum collections help address challenges to biodiversity in a strategic way?
- 46 Museum collections and ecosystem services
- 50 Museum collections and ecosystem services: An example
- 54 Museum collections as tools for studying climate change
- 60 Museums are the original Big Data
- 64 Museum collections are windows on evolutionary processes
- 66 Research based on natural history collections benefits science and society
- 68 Museums fit for the future
- 72 Participants in this study
- 96 References and further reading
- 100 Acknowledgements

## Who is this booklet for?

This booklet is aimed at ecologists, conservation scientists, wildlife managers, biodiversity and environmental records workers, environmental policy makers, and museum workers. It is intended to be useful for both nature conservation and museum sectors, to promote a common understanding of the potential of natural history collections, to support their effective use and development, and, most importantly, to conserve global biodiversity.

This booklet supports the following Sustainable Development Goals:



We live in a time of unprecedented environmental change, with climate change, habitat alteration, pollution, invasive species and over-exploitation all contributing to species declines (Millennium Ecosystem Assessment 2005, IPBES 2019). Biodiversity researchers, policy workers, and site and species managers work to stem the tide of declines. Museum collections play a key role, or could play a key role, through supporting biodiversity and nature conservation-related research, management and policy; they also support public education about biodiversity, although that is not the focus of this booklet.

This booklet explores some of the problems biodiversity faces, and examples of how UK museum collections can help biodiversity workers meet these challenges. It presents some results from a study funded by the British Ecological Society in 2018-19, which aimed to develop a strategic approach to using UK museum collections to support biodiversity conservation.

This booklet is intended to be a conversation starter.

# The State of Nature: an ongoing decline

**Nature is in decline, and conservation action isn't making sufficient inroads. The 2019 Global Assessment by the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES) made the following key findings<sup>1</sup>:**

<sup>1</sup><https://www.ipbes.net/global-assessment-report-biodiversity-ecosystem-services>

- A. Nature and its vital contributions to people, which together embody biodiversity and ecosystem functions and services, are deteriorating worldwide.
- B. Direct and indirect drivers of change have accelerated during the past 50 years.
- C. Goals for conserving and sustainably using nature and achieving sustainability cannot be met by current trajectories, and goals for 2030 and beyond may only be achieved through transformative changes across economic, social, political and technological factors.
- D. Nature can be conserved, restored and used sustainably while simultaneously meeting other global societal goals through urgent and concerted efforts fostering transformative change.



A.

**Nature and its vital contributions to people, which together embody biodiversity and ecosystem functions and services, are deteriorating worldwide.**

Nature embodies different concepts for different people, including biodiversity, ecosystems, Mother Earth, systems of life and other analogous concepts. Nature's contributions to people embody different concepts such as ecosystem goods and services, and nature's gifts. Both nature and nature's contributions to people are vital for human existence and good quality of life (human well-being, living in harmony with nature, living well in balance and harmony with Mother Earth, and other analogous concepts). While more food, energy and materials than ever before are now being supplied to people in most places, this is increasingly at the expense of nature's ability to provide such contributions in the future and frequently undermines nature's many other contributions, which range from water quality regulation to sense of place. The biosphere, upon which humanity as a whole depends, is being altered to an unparalleled degree across all spatial scales. Biodiversity - the diversity within species, between species and of ecosystems - is declining faster than at any time in human history.

B.

**Direct and indirect drivers of change have accelerated during the past 50 years.**

The rate of global change in nature during the past 50 years is unprecedented in human history. The direct drivers of change in nature with the largest global impact have been (starting with those with most impact): changes in land and sea use; direct exploitation of organisms; climate change; pollution; and invasion of alien species. Those five direct drivers result from an array of underlying causes - the indirect drivers of change - which are in turn underpinned by societal values and behaviours that include production and consumption patterns, human population dynamics and trends, trade, technological innovations and local through global governance. The rate of change in the direct and indirect drivers differs among regions and countries.

C.  
**Goals for conserving and sustainably using nature and achieving sustainability cannot be met by current trajectories, and goals for 2030 and beyond may only be achieved through transformative changes across economic, social, political and technological factors.**

Past and ongoing rapid declines in biodiversity, ecosystem functions and many of nature's contributions to people mean that most international societal and environmental goals, such as those embodied in the Aichi Biodiversity Targets [for the Convention on Biological Diversity, the Rio Convention] and the 2030 Agenda for Sustainable Development [the Sustainable Development Goals], will not be achieved based on current trajectories. These declines will also undermine other goals, such as those specified in the Paris Agreement adopted under the United Nations Framework Convention on Climate Change and the 2050 Vision for Biodiversity. The negative trends in biodiversity

and ecosystem functions are projected to continue or worsen in many future scenarios in response to indirect drivers such as rapid human population growth, unsustainable production and consumption and associated technological development. In contrast, scenarios and pathways that explore the effects of a low-to-moderate population growth, and transformative changes in production and consumption of energy, food, feed, fibre and water, sustainable use, equitable sharing of the benefits arising from use and nature-friendly climate adaptation and mitigation, will better support the achievement of future societal and environmental objectives.

D.

**Nature can be conserved, restored and used sustainably while simultaneously meeting other global societal goals through urgent and concerted efforts fostering transformative change.**

Societal goals - including those for food, water, energy, health and the achievement of human well-being for all, mitigating and adapting to climate change and conserving and sustainably using nature - can be achieved in sustainable pathways through the rapid and improved deployment of existing policy instruments and new initiatives that more effectively enlist individual and collective action for transformative change. Since current structures often inhibit sustainable development and actually represent the indirect drivers of biodiversity loss, such fundamental, structural change is called for.

By its very nature, transformative change can expect opposition from those with interests vested in the status quo, but such opposition can be overcome for the broader public good. If obstacles are overcome, commitment to mutually supportive international goals and targets, supporting actions by indigenous peoples and local communities at the local level, new frameworks for private sector investment and innovation, inclusive and adaptive governance approaches and arrangements, multi-sectoral planning and strategic policy mixes can help to transform the public and private sectors to achieve sustainability at the local, national and global levels.

**To explore the drivers of global environmental change in more detail, the Global Assessment reported that**

- For terrestrial and freshwater ecosystems, land-use change has had the largest relative negative impact on nature since 1970, followed by the direct exploitation, in particular overexploitation, of animals, plants and other organisms mainly via harvesting, logging, hunting and fishing. In marine ecosystems, direct exploitation of organisms (mainly fishing) has had the largest relative impact, followed by land/sea-use change. Agricultural expansion is the most widespread form of land-use change, with over one third of the terrestrial land surface being used for cropping or animal husbandry. This expansion, alongside a doubling of urban area since 1992 and an unprecedented expansion of infrastructure linked to growing population and consumption, has come mostly at the expense of forests (largely old-growth tropical forests), wetlands and grasslands. In freshwater ecosystems, a series of combined threats that include land-use change, including water extraction, exploitation, pollution, climate change and invasive species, are prevalent. Human activities have had a large and widespread impact on the world's oceans. These include direct exploitation, in particular overexploitation, of fish, shellfish and other organisms, land- and sea-based pollution, including from river networks, and land/sea-use change, including coastal development for infrastructure and aquaculture.

FOR TERRESTRIAL AND FRESHWATER ECOSYSTEMS, LAND-USE CHANGE HAS HAD THE LARGEST RELATIVE NEGATIVE IMPACT ON NATURE SINCE 1970

- Climate change is a direct driver that is increasingly exacerbating the impact of other drivers on nature and human well-being. Humans are estimated to have caused an observed warming of approximately 1.0°C by 2017 relative to pre-industrial levels, with average temperatures over the past 30 years rising by 0.2°C per decade. The frequency and intensity of extreme weather events, and the fires, floods and droughts that they can bring, have increased in the past 50 years, while the global average sea level has risen by 16 to 21 cm since 1900, and at a rate of more than 3 mm per year over the past two decades. These changes have contributed to widespread impacts in many aspects of biodiversity, including species distributions, phenology, population dynamics, community structure and ecosystem function. According to observational evidence, the effects are accelerating in marine, terrestrial and freshwater ecosystems and are already impacting agriculture, aquaculture, fisheries and nature's contributions to people. Compounding effects of drivers such as climate change, land/sea-use change, overexploitation of resources, pollution and invasive alien species are likely to exacerbate negative impacts on nature, as has been seen in different ecosystems such as coral reefs, the arctic systems and savannas.
- Many types of pollution, as well as invasive alien species, are increasing, with negative impacts for nature. Although global trends are mixed, air, water and soil pollution have continued to increase in some areas. Marine plastic pollution in particular has increased tenfold since 1980, affecting at least 267 species, including 86 per cent of marine turtles, 44 per cent of seabirds and 43 per cent of marine mammals. This can affect humans through food chains. Greenhouse gas emissions, untreated urban and rural waste, pollutants from industrial, mining and agricultural activities, oil spills and toxic dumping have had strong negative effects on soil, freshwater and marine water quality and the global atmosphere. Cumulative records of alien species have increased by 40 per cent since 1980, associated with increased trade and human population dynamics and trends. Nearly one fifth of the Earth's surface is at risk of plant and animal invasions, impacting native species, ecosystem functions and nature's contributions to people, as well as economies and human health. The rate of introduction of new invasive alien species seems higher than ever before and with no signs of slowing.

# Museums and the conservation of global biodiversity

Museum collections are often associated with taxonomy. However, museum collections support, or could support, the exploration of a much wider range of ecological and environmental topics that have practical applications for biodiversity conservation.

**S**tudies of biodiversity, at within-species/population, species and community levels, rely heavily on collections to understand distribution, presence/absence, changes over time, and interspecies interactions and community ecology. Understanding what species live where is a foundation of understanding biodiversity and nature conservation. Specimen labels provide basic information on what species occur where, or at least where they once occurred. Even today, historical collections are a basic source of information on the occurrence of species in remote areas, although rapid environmental change may mean that they reveal where species once were, rather than where they still occur. Museum specimens are a major contributor to conservation assessments, such as IUCN 'Red List' assessments, and are an essential tool for work on the Convention on Biological Diversity, and for national and local biodiversity assessments. Specimens enable former assessments of distribution and identification to be reassessed, notably in light of taxonomic changes. Specimens are a source of biomolecules: they are sampled for DNA to explore relationships within and between species, informing decisions on conservation assessment and management, and reintroductions. Morphology, physiology and development can all be explored through collections, and can be related to environmental conditions.

UNDERSTANDING  
WHAT SPECIES  
LIVE WHERE IS  
A FOUNDATION OF  
UNDERSTANDING  
BIODIVERSITY  
AND NATURE  
CONSERVATION

CHANGES IN LEVELS  
OF ENVIRONMENTAL  
POLLUTANTS OVER  
TIME CAN BE  
REVEALED FROM  
SAMPLES OF ANIMAL  
AND PLANT TISSUES

Collections are four dimensional, with a time dimension. Derek Ratcliffe's work linking declines in egg-shell thickness of birds of prey in the UK in the second half of the 20th century to DDT poisoning was a landmark in conservation research, and relied heavily on museum collections. Changes in levels of environmental pollutants over time can be revealed from samples of animal and plant tissues, for example levels of mercury in the feathers of seabirds. Analysis of stable isotopes reveals a whole range of details on diet and trophic levels, and even migration routes of animals. Collections reveal changes in the timing of biological events (phenology), linked with environmental change. DNA sampling also helps explore genetic change over time, in terms of population dynamics, the timing of genetic bottlenecks, and changes in gene frequency over time.



# How are natural history collections useful for research?

*An example*

## Collections and mammalogy

**M**cLean and others (2016) explored the contribution that natural history collections make towards research. They took mammalogy as an example, and analysed the contribution that museum collections made to research in articles published in the *Journal of Mammalogy* during 2005-14. They found that mammal collections contributed to research in five broad areas, and that 25% of all articles in the *Journal of Mammalogy* made use of natural history collections in some way. Their results “demonstrate that natural history collections are critical infrastructure supporting substantial numbers of research publications annually. They also reveal that use of historic specimens *in addition* to ongoing voucher [specimen] collection remains an integral approach to many research questions in mammalogy”.

### The five broad research areas that museum collections supported were:

- Systematics and biogeography, as primary archives of biogeographical data illustrating biodiversity and changes over time
- Genomics, exploring genetic responses to environmental change, for example loss of genetic diversity in Alpine Chipmunks as their range changes in response to climate change
- Morphology and morphometrics, which have numerous applications in systematics and studying biological responses to environmental change
- Stable isotope ecology, which can be used to explore changes in ecology over time, migratory behaviour, and to establish breeding and wintering ranges of a variety of animals
- Parasites and pathogens, helping understand changes in the distribution of parasites and host-switching events in light of environmental change, notably climate change and introductions.

**They noted the key importance of the following scientific-curatorial practices:**

- Voucher specimen collection is a necessity for ongoing usefulness of collections.
- Specimens need to be curated effectively and preserved in a variety of forms, maintaining connections with ecological and other environmental information as far as possible, notably georeferencing.
- Data need to be well-managed and discoverable, and made widely available through e.g. GBIF, GenBank (genetic), Morphbank (morphological), ViPr (virological) and TimeMachine (time series).

“NATURAL HISTORY  
COLLECTIONS ARE  
CRITICAL INFRASTRUCTURE  
SUPPORTING SUBSTANTIAL  
NUMBERS OF RESEARCH  
PUBLICATIONS ANNUALLY”

Reference:

McLean, BS *et al.* (2016). Natural history collections-based research: progress, promise, and best practices. *Journal of Mammalogy* 97(1): 287-97.

## Where are natural history collections in the UK?

UK museums contain roughly 140 million natural history specimens, including mammal and bird study skins, taxidermy mounts, bones, pinned insects, dried molluscs and other invertebrates, dried plants, lichens and fungi, specimens on microscope slides and preserved in alcohol/formalin, fossils, rocks and minerals.

**T**here are roughly 80 million specimens in the Natural History Museum (London), and 60 million in other museums. Collections have mostly been built up since the 19th century, and collections develop at a slower rate than previously. Large museums have encyclopaedic, global collections. Regional museums often contain the best collections for their region, and even relatively small museums can be home to very important collections.

Twelve museums have more than 1 million specimens. In addition to these, the collections of the Hunterian Museum (Royal College of Surgeons, London), Lapworth Museum of Geology (University of Birmingham), Leeds City Museums and Galleries, Sunderland Museum, Great North Museum: Hancock (Newcastle upon Tyne), Tullie House Museum and Art Gallery (Carlisle), Yorkshire Museum (York), University of Aberdeen (zoology, plants and geology), Kelvingrove Museum and Art Gallery (Glasgow), Hunterian Museum (University of Glasgow), Perth Museum and Art Gallery, Elgin Museum, and Bell Pettigrew Museum (University of St. Andrews) are formally recognised for their national (in many cases international) importance by the UK and Scottish governments.

### *A distributed infrastructure*

UK Museums with more than a million natural history specimens <sup>2</sup>	Number of specimens
Natural History Museum	80 Million
National Museums of Scotland, Edinburgh	10 Million
Royal Botanical Gardens, Kew	8.5 Million
Manchester Museum, The University of Manchester	4.5 Million
British Geological Survey	4 Million
Royal Botanic Garden, Edinburgh	3 Million
Cambridge University Museum of Zoology	2.8 Million
World Museum Liverpool	1.6 Million
National Museum of Wales, Cardiff	1.3 Million
Bristol Museum	1.1 Million
Sedgwick Museum of Earth Sciences, Cambridge University	1 Million
Norwich Castle Museum and Art Gallery	1 Million

<sup>2</sup> The best available resource for searching UK natural history collections is <http://fenscore.natsca.org/>

Where are natural history collections in the UK?

THERE ARE ROUGHLY  
80 MILLION SPECIMENS  
IN THE NATURAL HISTORY  
MUSEUM (LONDON),  
AND 60 MILLION IN  
OTHER MUSEUMS

Based on a figure of 140 million natural history specimens (as a rough, but reasonable approximation), 57% of specimens are in the Natural History Museum, 28% are shared between 11 other museums each with a million specimens or more (detailed in the table above), and 15% are shared between the remainder of UK museums.

A number of English university museums receive funding from Research England (formerly from HEFCE) as a research infrastructure, and a similar scheme runs in Scotland (run by the Scottish Funding Council).<sup>3</sup> UKRI included collections-based institutions in a research infrastructures roadmap exercise in 2018/19. Natural history collections would fit into the 'biological sciences, health and food' and 'environmental sciences' sectors for the purposes of that exercise.<sup>4</sup>

<sup>3</sup> Royal Society (2017). A snapshot of UK research infrastructures. <https://royalsociety.org/topics-policy/publications/2018/research-infrastructures-uk-snapshot/>

<sup>4</sup> UKRI (UK Research and Innovation) (2019). UKRI Infrastructure Roadmap: initial analysis of infrastructure questionnaire responses and description of the landscape. <https://www.ukri.org/files/infrastructure/landscape-analysis-2-pdf/>

How can museum collections help address challenges to biodiversity in a strategic way?

# How can museum collections help address challenges to biodiversity in a strategic way?

**R**esearchers, policy workers and site/species managers working to conserve global biodiversity ('biodiversity workers' hereafter) have relatively little contact with museums, and vice versa. To help address this situation, BES funded a study in 2018-19 to better understand the perceptions that biodiversity workers and UK museum workers had of the potential of UK natural history collections to support the conservation of global biodiversity.

The study received 454 detailed responses from biodiversity workers, including 224 scientists, 88 biodiversity policy workers, 53 biodiversity data workers, 23 site and species managers, and 66 people working in a combination of these areas. Respondents included many national nodes for the Convention on Biological Diversity, Global Strategy for Plant Conservation and Global Biodiversity Information Facility (GBIF); government ministries; and a wide range of agencies including IUCN, Plantlife, and Flora and Fauna International.

Responses were received from 84 countries worldwide. In the UK (and the Isle of Man), contributions were received from DEFRA, NERC, BAS, JNCC, Kew, Natural England, CEH, SNH and Historic England among others, and researchers in many universities.

In terms of UK museum workers, responses were received from 133 museum curators and collection managers, from all of the major museums, many medium-sized and small museums, and from all four constituent countries. This study is the largest of its kind.



## One Hundred Questions

The study was framed around 'One Hundred Questions of Importance to the Conservation of Global Biodiversity' (Sutherland *et al.* 2009). The aim of that study was to compile a list of 100 questions that, if answered, would have the greatest impact on the conservation of biological diversity worldwide. The questions were developed by a team of representatives of the world's major conservation organisations, professional scientific societies, and universities, and the work was intended to be of use to organisations wishing to support biodiversity research programmes effectively. As museums have unique resources that can potentially contribute to biodiversity conservation, the 100 questions have a high relevance. Sutherland and others' study found that the 100 questions fell into twelve topics:

1. Ecosystem function and services
2. Climate change
3. Technological change
4. Protected areas
5. Ecosystem management and restoration
6. Terrestrial ecosystems
7. Marine ecosystems
8. Freshwater ecosystems
9. Species management
10. Nature conservation organisational systems and processes
11. Societal context and change
12. Impact of conservation interventions

## One Hundred Questions - 12 topics

**1. Ecosystem function and services:** ecosystem services (ES) are the benefits people obtain from ecosystems. Key research areas include understanding which components of biodiversity are essential for providing ES.

**2. Climate change:** global temperatures are already over 1°C higher on average compared to preindustrial (1880s) levels, with polar regions having higher increases. Biodiversity is being affected at species, population, community and biome levels.

**3. Technological change:** how will new and emerging technologies, e.g. nanotechnology and GM crops, affect biodiversity?

**4. Protected areas:** how can protected areas and associated biodiversity be managed sustainably, notably in the context of social and environmental change?

**5. Ecosystem management and restoration:** how can ecosystems be conserved beyond protected areas to maintain connectivity and functionality with protected areas?

**6. Terrestrial ecosystems:** how can landscapes have multiple uses that promote biodiversity and human communities?

**7. Marine ecosystems:** how can negative human impacts on marine environments be minimised, providing food in sustainable ways in the context of rapid environmental change.

**8. Freshwater ecosystems:** global demand for water has increased four-fold in the last 50 years, mostly for food production. Land-use changes impact freshwater availability, regulation and associated ecosystems.

**9. Species management:** many species will continue to require specific and targeted interventions to persist, in the face of multifarious threats.

**10. Nature conservation organisational systems and processes:** what kinds of organisations and networks are most effective at supporting the conservation of biodiversity?

**11. Societal context and change:** the human population will continue to grow. Understanding the effects of societal structures and processes on biodiversity will help inform more effective policy development.

**12. Impact of conservation interventions:** there is relatively little information on the effectiveness of different conservation measures and actions. Achieving goals effectively will help make best use of resources in the context of global biodiversity declines.

## Methods

Biodiversity workers were invited to complete an online survey to explore how they thought UK museum collections supported (or could or couldn't support) research, policy and management in relation to the topics they had expertise in, using the same topic areas as listed above.

In parallel, UK museum workers completed a similar online survey to explore how they thought UK museum collections could support the same topics.

Both groups were asked to identify what actions would help to promote more effective use of collections to conserve global biodiversity.

The two surveys were advertised widely through social media, email distribution lists, IUCN website and at conferences.

**Many biodiversity workers had used natural history collections for their work, for a very diverse range of purposes, including the following examples:**

- Taxonomy
- Distributional records for producing atlases, conservation assessments and understanding changes in distribution, e.g. of hymenoptera, dung beetles
- Extending baselines of biodiversity change
- Tissue sampling
- Demography and viability assessments for reintroductions
- Population genetics using ancient DNA
- Osteology
- Policy work from taxonomic reassessments, to identify and designate Important Bird Areas
- DNA sampling of specimens
- Egg morphology
- Bat morphology in response to climate and landscape change
- Genomics
- Studying mammal pathogens and systematics
- Identification of vagrant bird
- Morphology and genetics of parasites
- To identify field collections
- To study form and function of whiskers

How can museum collections help address challenges to biodiversity in a strategic way?


- Estimate butterfly species richness over time
- Conservation assessments
- Historical faunistics
- Mapping distribution of spider species
- Colour measurement from bird feathers
- Australian ant ecology
- Taxonomic revisions
- Establishing the distribution of protected species
- Describing new spider species
- Genetics and morphometrics of amphibians
- Comparative studies with extinct species
- Establishing checklists of groups for countries and regions
- Collaborating with genebanks
- Extracting information to incorporate into GBIF
- Identifying species boundaries in spiders
- Archiving data from research with museums
- DNA work linked to voucher specimens of Australian vertebrates
- Hare taxonomy for conservation assessments
- Biotech based on microalgae
- Contributing to database of inverts for conservation management
- Assessing impact of Nagoya Protocol on museums
- Contributing to habitat and distribution modelling
- Distribution of seabirds in relation to sex and age
- Studies of bird moult strategies, geographic variation in productivity and survival
- Establishing Red List assessment criteria
- Analysing eggshell thickness over time in response to acid deposition in the environment
- Analysing changes in egg-laying date in birds over time
- Development of barcoding techniques
- Distributional gap analysis for modelling distributions in South America
- Regulating export of specimens
- Toxin content of terrestrial specimens to inform public health policy
- Health status of recently dead specimens to inform public health policy
- Studies of medicinal plants
- DNA to verify poaching cases
- Proof of concept for studies of plant distribution

- Digitising specimens of Kenyan plants to incorporate into larger dataset for research
- Ecological niche modelling
- Monitoring progress towards targets for plant conservation
- Verifying identifications to aid with implementation of UK conservation priorities
- Producing conservation audit for Natural England
- Diet and reproductive biology of mammals
- Studies of human responses to animals and plants
- ID training courses
- Studying otoliths and squid beaks, to understand marine animals' diets
- Study of how palaeoenvironmental collections and records are managed
- Distribution changes over time in pheasants and partridges
- Quaternary insect assemblages
- Research on museum learning and interpretation of collections
- Validating historic records using voucher specimens for producing atlases
- Datamining for incorporating into National Biodiversity Network
- Linking data on New Zealand endangered species
- Studying spread of invasive plants
- Studying metabolic rates across fish, based on otoliths
- Taxonomy and conservation assessments of deep-sea corals
- Moss taxonomy
- Morphometrics of herbarium specimens
- Drivers underpinning global plant diversity and understanding resilience to global environmental change
- Ibex horn growth to understand ecosystem processes
- Historic distributions and genetics to aid development of reintroduction programmes
- Assessing quality of biodiversity data, to develop tools to make use of museum data
- Analysing species distributions and data biases
- Modelling bird growth and energetics
- Analysing levels of lead pollution in plants linked to industrialisation
- Niche characterisation of plants

How can museum collections help address challenges to biodiversity in a strategic way?

- Estimating freshwater fish richness in Trinidad
- Testing archived specimens for infection with diseases (eg chytrid fungus in amphibians) to understand epidemiology
- Trait database for species in relation to land-use impacts in Africa
- Biodiversity associated with hydrothermal vents
- Studying community dynamics and ecosystem services based on beetles
- Understanding historical networks of botanists
- Training for CITES
- Historic distributions of barnacles

How can museum collections help address challenges to biodiversity in a strategic way?



*58% of biodiversity workers  
had given specimens to museums  
to add to their collections*



*66% of biodiversity workers  
generated potential museum specimens  
in the course of their work.*



**Biodiversity workers were most likely to find out information on resources such as museum collections from websites, notably GBIF and other aggregators of museum data.**

**Biodiversity workers reported that, to make more (or better) use of UK museum collections, they would need:**

- Aggregated online catalogues of collections, such as GBIF
- Complete online catalogues of particular collections
- Well-curated and accessible collections
- More specialist staff who can answer enquiries (notably specialist enquiries), and facilitate visits to study collections.

**Biodiversity workers worked with a large number of national and international policies. The most frequently mentioned international policies were:**

Convention on Biological Diversity  
(Rio Convention)

Nagoya Protocol on Access and Benefits Sharing

CITES

IUCN Red List

EU policies  
(Habitats Directive, Birds Directive, CAP)

Agri-environmental policies

Marine policies

Antarctic Treaty

Conservation-related policies


National and international climate change policy

How can museum collections help address challenges to biodiversity in a strategic way?

**Which of the 12 topics from the ‘100 Questions’ study did biodiversity workers think UK natural history collections supported or could potentially support?**

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 12 topics from the '100 Questions' study did biodiversity workers think UK natural history collections supported, or could potentially support?	Number of biodiversity workers	Currently support	Could support	Could not support
Ecosystem function and services	83	53%	32%	10%
Impact of climate change on biodiversity and ecosystems	82	63%	26%	11%
Impacts of technological change on biodiversity	33	70%	21%	9%
Protected areas and biodiversity	110	66%	25%	9%
Ecosystem management and restoration: impacts on biodiversity	73	62%	25%	14%
Terrestrial ecosystems	125	76%	19%	5%
Marine ecosystems	44	68%	23%	9%
Freshwater ecosystems	46	76%	17%	7%
Species management	89	67%	24%	9%
Nature conservation organisational systems and processes	54	54%	26%	20%
Societal context and change, and its impact on species/habitats	68	62%	29%	9%
Impacts of nature conservation interventions	51	69%	22%	10%



These results show that 80% or more of experts in each topic thought that UK museum collections currently support or could support research, policy and management in those areas. This is a very encouraging result, demonstrating the usefulness, or at least potential usefulness, of collections to support action to address contemporary threats to biodiversity.

## Drilling down further: which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?

Identifying which of the 100 questions biodiversity workers and UK museum workers thought UK museum collections can support helps to suggest some strategic directions for making use of, and developing, collections. Questions which 50% or more biodiversity workers and/or UK museum workers thought collections could support are listed below. Individual questions 50% or more of both biodiversity workers and UK museum workers agreed UK museum collections could support are marked in **bold**.

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Ecosystem function and services</b>		
Do critical thresholds exist at which the loss of species diversity, or the loss of particular species, disrupts ecosystem functions and services, and how can these thresholds be predicted?	61%	57%
How can ecosystems be managed to increase protection of humans and biodiversity from extreme events?	54%	48%
How, where, and when has biodiversity loss affected human welfare?	61%	59%
How does soil biodiversity contribute to the extent and persistence of ecosystem services, including agricultural productivity?	52%	43%
<b>Impact of climate change on biodiversity and ecosystems</b>		
What impact will the melting of polar ice and a reduction in permafrost have on the human use of high-latitude ecosystems, and how will these changes in human use affect biodiversity?	47%	58%
Which elements of biodiversity in which locations are most vulnerable to climate change, including extreme events?	82%	81%
How is the resilience of ecosystems to climate change affected by human activities and interventions?	64%	52%
How will climate change, together with other environmental stressors, alter the distribution and prevalence of diseases of wild species?	64%	73%

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Impact of climate change on biodiversity and ecosystems (cont.)</b>		
How will human responses to climate change (e.g., changes in agriculture, resource conflicts, and migration) affect biodiversity?	63%	69%
How might biodiversity policies and management practices be modified and implemented to accommodate climate change?	51%	52%
How, where, and to what extent can natural and seminatural ecosystems contribute to climate change adaptation and mitigation?	52%	52%
How does biodiversity shape social resilience to the effects of climate change?	51%	29%
<b>Impacts of technological change on biodiversity</b>		
How do the type, location, and associated mitigation measures of renewable energy technologies affect biodiversity?	51%	70%
What are the direct and indirect impacts of genetically modified organisms on biodiversity?	59%	68%
What are the implications for land use and biodiversity of the new and emerging “bioeconomy” markets (crops for pharmaceuticals, plastics, adhesives, etc.)?	62%	58%

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Protected areas and biodiversity</b>		
How effective are different types of protected areas (e.g., strict nature reserves, hunting reserves, and national parks) at conserving biodiversity and providing ecosystem services?	74%	91%
How does the management of protected areas affect conservation beyond the boundaries of the protected area, such as through the displacement of human populations, hunting, or fishing?	55%	50%
<b>Ecosystem management and restoration: impacts on biodiversity</b>		
What was the condition of ecosystems before significant human disruption, and how can this knowledge be used to improve current and future management?	72%	87%
What, and where, are the significant opportunities for large-scale ecosystem restoration that benefits biodiversity and human well-being?	55%	54%
How can ecosystem management systems be designed to better emulate natural processes, notably natural disturbance regimes, and to what extent does this improve conservation effectiveness?	55%	41%
What spatial pattern of human settlement (e.g., clustered vs. dispersed) has the least impact on biodiversity?	61%	64%

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Ecosystem management and restoration: impacts on biodiversity (cont.)</b>		
What is the contribution of areas that are intensively managed for production of commodities (such as food, timber, or biofuels) to conservation of biodiversity at the landscape scale?	48%	51%
<b>Terrestrial ecosystems</b>		
Under what conditions can agricultural intensification contribute to conserving overall biodiversity by reducing pressure to convert natural ecosystems?	44%	63%
What are the impacts (on and off site) on agricultural returns and biodiversity of “biodiversity-friendly” agricultural practices, such as organic, minimum tillage, and agroenvironment schemes?	44%	63%
Under what circumstances can afforestation, reforestation, and reduced emissions from deforestation and degradation (REDD) benefit biodiversity conservation, reduce emissions, and provide sustainable livelihoods?	35%	59%
<b>How are arid and semiarid ecosystems affected by the interaction of multiple stressors such as grazing by domestic livestock, soil erosion, and drought?</b>	56%	54%
<b>What are the contributions of urban nature reserves and other green amenity spaces, such as golf courses, to biodiversity conservation, and how can these be enhanced?</b>	59%	83%



How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Marine ecosystems</b>		
How will ocean acidification affect marine biodiversity and ecosystem function, and what measures could mitigate these effects?	75%	71%
What are the ecological, social, and economic impacts resulting from the expansion of freshwater and marine aquaculture?	44%	56%
What management actions are most effective for ensuring the long-term survival of coral reefs in response to the combined impacts of climate change and other existing stressors	50%	39%
How does the effectiveness of marine protected areas vary with biological, physical, and social factors and with connectivity to other protected areas?	60%	68%
What will be the impacts of climate change on phytoplankton and oceanic productivity, and what will be the feedbacks of these impacts on the climate?	54%	51%
How will multiple stressors, especially fishing, pollution, sea temperature fluctuations, acidification, and diseases, interact to affect marine ecosystems?	69%	56%
Which mechanisms are most effective at conserving biodiversity in ocean areas occurring outside the legal jurisdiction of any single country?	52%	39%

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Freshwater ecosystems</b>		
How can freshwater biodiversity and ecosystem service values best be incorporated in the design of water-provisioning schemes for direct human use and food production?	52%	43%
Which aquatic species and communities are most vulnerable to human impacts, and how would their degradation affect the provision of ecosystem services?	79%	90%
Where will the impacts of global climate change on hydrology be most extreme, and how might they affect freshwater species and the ability of wetlands and inland waters to deliver ecosystem services?	60%	67%
How does investment in restoration of wetlands and riparian areas compare with construction of dams and flood defences in providing cost-effective improvements in flood management and the storage and retention of water for domestic, industrial and agricultural use?	40%	55%
<b>Species management</b>		
What information is required to enable responsible authorities to decide when and how to manage non-native species?	60%	65%
What is the relative effectiveness of different methods for facilitating movement of a species among disjunct patches of its habitat?	44%	53%

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Species management (cont.)</b>		
What are the ecosystem impacts of efforts to conserve charismatic, flagship, or umbrella species?	63%	56%
What are the likely risks, costs, and benefits of reintroducing and translocating species as a response to climate change?	53%	63%
<b>Nature conservation organisational systems and processes</b>		
How do the characteristics of the organizations (e.g., government vs. nongovernment) and their funding (e.g., amount and duration of funds) shape the effectiveness of conservation interventions?	53%	32%
What is the effectiveness of the different mechanisms used to foster the evaluation and dissemination of conservation interventions?	58%	32%
How effective are the different strategies devised to integrate scientific knowledge into conservation policy and practice?	63%	39%
How effective are the different mechanisms used to promote data sharing and collaboration among individuals, conservationists, and conservation organizations?	77%	55%

How can museum collections help address challenges to biodiversity in a strategic way?

Which of the 100 questions do biodiversity workers and UK museum workers think UK museum collections could support?	% of respondents who thought UK museum collections could support individual questions	
	Biodiversity workers	UK museum workers
<b>Societal context and change, and its impacts on species/habitats</b>		
What are the impacts on biodiversity of shifting patterns and trends in human demography, economic activity, consumption, and technology?	50%	59%
What is the relationship between individuals learning about environmental problems and their conservation attitudes, knowledge, beliefs, and behaviors?	53%	45%
What are the impacts of increasing human dissociation from nature on the conservation of biodiversity?	54%	52%
What are the effects of changes in human patterns of food consumption on biodiversity (e.g., shift from bushmeat to domestic meat and from fish to plant-based protein), and how are such human patterns of food consumption shaped by education programs, financial incentives, and other policy instruments?	51%	50%
<b>Impact of nature conservation interventions</b>		
What have been the impacts on biodiversity of the Convention on Biological Diversity 2020 targets, and what objectives, mechanism, time frame, and means of measurement would be most effective for future targets?	50%	44%
What has been the effect of environmental impact assessments on biodiversity conservation?	59%	58%
What mechanisms best promote the use of local ideas and knowledge in conservation programs in ways that enhance biodiversity outcomes?	59%	44%

There was a fairly strong agreement between biodiversity workers and UK museum workers as to which of the 100 questions they thought UK museum collection could support. There were 31 questions 50% or more members of both groups thought museum collections could support, and 49 questions neither group thought museum collections could support. These 31 questions can be thought of as a strategic direction for biodiversity workers and UK museum workers, to develop use of collections to support biodiversity research, policy and site/species management.

As most respondents to the museum survey were curators working with natural history collections, the high level of agreement can be taken as strong evidence of the value of natural history curators for making effective use of natural history collections.

However, it is worth noting that differences of opinion between the two groups of respondents are worth exploring further, as they suggest additional uses for collections that are not currently being considered by the other group.

THERE WERE 31  
QUESTIONS 50%  
OR MORE MEMBERS  
OF BOTH GROUPS  
THOUGHT MUSEUM  
COLLECTIONS  
COULD SUPPORT

# Museum collections and ecosystem services

**“Both nature and nature’s contributions to people are vital for human existence and good quality of life” (IPBES 2019)**

## The Millennium Ecosystem Assessment (2005) defined ecosystem services as benefits people obtain from ecosystems

**M**useum collections, and natural history museums more generally, are key resources for understanding and conserving a range of ecosystem services, notably (1) those provided by biodiversity (e.g. pollination), (2) for studying impacts of humans on biodiversity in relation to a wide range of ecosystem services (e.g. agriculture) and (3) directly supporting cultural ecosystem services, through promoting understanding, appreciation and conservation of nature, and promoting sustainable lifestyles.

MUSEUM COLLECTIONS, AND NATURAL HISTORY MUSEUMS MORE GENERALLY, ARE KEY RESOURCES FOR UNDERSTANDING AND CONSERVING A RANGE OF ECOSYSTEM SERVICES

Services that can be readily understood through natural history collections are marked in green.

**Provisioning services: benefits obtained by people from products obtained from ecosystems**

Fisheries, wild fisheries

Aquaculture

Agriculture

Forestry

Genetic material

Harvested wild foods/ Hunting/ Non-wood forest products (honey, mushrooms, berries)

Livestock grazing

Material extraction (e.g. coral, shells, resin, rubber, grass, rattan)

Medicinal resources from nature

Water (water supply and quantity)

**Regulating services: benefits obtained by people from nature's regulation of ecosystem processes**

Pest and disease regulation

Pollination and crop pollination

Carbon uptake and storage

Coastal protection and flood regulation

Flood protection, regulation and prevention

Regulation of chemical composition of the atmosphere

Erosion control (e.g stabilising sand dunes, river banks)

Soil stabilisation (e.g. landslide prevention, avalanche protection)

Sediment retention, regulation, delivery

Seasonal water yield and regulation of this through the year

Water purification



**Cultural services: nonmaterial benefits people obtain from ecosystems**

Cultural heritage, inspiration, community benefits

Health, mental and physical

Peace and stability

Knowledge assets and education

Recreation, tourism

Spiritual values, sacred sites

Scenic quality

Wilderness and iconic values

**Supporting services: services that make other services possible**

Nutrient cycling

Primary production

Soil formation

Space/habitat

Reference:

Neugarten, RA et al. (2018). *Tools for measuring, modelling, and valuing ecosystem services: Guidance for Key Biodiversity Areas, natural World Heritage Sites, and protected areas.*

<https://portals.iucn.org/library/sites/library/files/documents/PAG-028-En.pdf>

# Museum collections and ecosystem services: *An example*

The link between pollinators, pollination, crops, and human food and nutrition is especially clearly understood. This will serve as an example of how museums can support ecosystem services and function.

## Museums are key tools for studying pollinator diversity and pollinator declines

**B**ees are widely, and popularly, understood to be important to human society, pollinating a wide range of essential crops, and providing honey. Declines in bee numbers are also widely reported in the mass media in the UK, Europe and the US.

Pollinators, including bees, are in decline worldwide.<sup>5</sup> In Europe (including the UK) 70% of bumblebee species are classified as threatened or with declining populations by the IUCN.<sup>6</sup>

“Estimates of pollinator declines are lacking for most countries worldwide. The use of historical collection data may be the most effective tool for filling these gaps... There is immense potential for museum specimens to play a central role in assessing the extent of the global pollination crisis.”

Reference: Bartomeus, I, JR Stavert, D Ward and O Aguado (2018). Historical collections as a tool for assessing the global pollination crisis. *Phil. Trans. Roy. Soc. (B)* 374: 20170389.

“THERE IS IMMENSE POTENTIAL FOR MUSEUM SPECIMENS TO PLAY A CENTRAL ROLE IN ASSESSING THE EXTENT OF THE GLOBAL POLLINATION CRISIS”

### Bees preserved in museum collections:

- Are a crucial source of information of the distribution of bee species, both their current distribution and status and long-term population trends. They can fill knowledge gaps.<sup>7</sup>
- Are a source of genetic material, and have been used to illustrate changes in genetic diversity. For example, Honey Bees in museums demonstrate strong changes in terms of which genetic strains are most common in California.<sup>8</sup>
- Are a source of pollen samples collected by bumble bees over time. These have been used to illustrate changes in habitat diversity/quality over time in Belgium, the Netherlands and the UK. Declines in pollen diversity were more pronounced in pollen samples taken from declining bumble species. The researchers noted that “natural history collections can play an important role in improving our understanding of the ecological mechanisms driving species population change.”<sup>9</sup> (Kleijn 2008)
- Have been used to study the impacts of climate change on a solitary bee and an orchid it pollinates. The bee and orchid were shown to respond differently to temperature increases, and pollination of the orchid will likely decrease, threatening its survival. Researchers noted “a significant potential for co-evolved plant-pollinator relationships to be disrupted by climatic warming.”<sup>10</sup> (Robbirt et al. 2014)
- Where digitization of museum specimen data has been completed, the data provide a rich source of information, allowing assessment of the current status and long-term trends of bee populations.<sup>11</sup>
- However, huge collections and associated data are not yet available on GBIF, the main data aggregator of biodiversity data. This is a serious impediment to making use of collections for research purposes.

<sup>5</sup> Potts, SG et al. (2016) IPBES: summary for policymakers of the assessment report of the IPBES on pollinators, pollination and food production. [https://www.ipbes.net/system/tdf/spm\\_deliverable\\_3a\\_pollination\\_20170222.pdf?file=1&type=node&id=15248](https://www.ipbes.net/system/tdf/spm_deliverable_3a_pollination_20170222.pdf?file=1&type=node&id=15248)

<sup>6</sup> Nieto, A et al. (2014). European red list of bees. [http://ec.europa.eu/environment/nature/conservation/species/redlist/downloads/European\\_bees.pdf](http://ec.europa.eu/environment/nature/conservation/species/redlist/downloads/European_bees.pdf)

<sup>7</sup> Colla, SR, F Gadallah, L Richardson, D Wagner and L Gall (2012). Assessing declines of North American bumble bees (*Bombus* spp.) using museum specimens. *Biol. Cons.* 21: 3585-95.

<sup>8</sup> Cridland, JM, SR Ramirez, CA Dean, A Sciligo and ND Tsutsui (2017). Genome sequencing of museum specimens reveals rapid changes in the genetic composition of Honey Bees in California. *Genome Biol. Evol.* 10(2): 458-72.

<sup>9</sup> Kleijn, D and I Raemakers (2007). A retrospective analysis of pollen host plant use by stable and declining bumble bee species. *Ecology* 89(7): 1811-23.

<sup>10</sup> Robbirt, KM, DL Roberts, ML Hutchings and AJ Davy (2014). Potential disruption of pollination in a sexually deceptive orchid by climatic change. *Current Biol.* 24: 2845-9.

<sup>11</sup> Bartomeus, I, Ascher JS, Gibbs J, Danforth BN, Wagner DL, Hedtke SM, Winfree R (2013). Historical changes in northeastern US bee pollinators related to shared ecological traits. *Proc. Natl Acad. Sci. USA* 110, 4656-60.

Morales, CL, Arbetman MP, Cameron SA and Aizen MA (2013). Rapid ecological replacement of a native bumble bee by invasive species. *Front. Ecol. Environ.* 11, 529-34.

70% OF BUMBLEBEE  
SPECIES ARE  
CLASSIFIED AS  
THREATENED OR  
WITH DECLINING  
POPULATIONS BY  
THE IUCN

# Museum collections as tools for studying climate change

## CLIMATE CHANGE IS ALREADY DISRUPTING A WIDE RANGE OF BIOLOGICAL AND ENVIRONMENTAL PROCESSES

The impacts of human-induced climate change are increasingly obvious, with increases in mean global temperature; more extreme weather; rising sea levels; and declines in ice at the poles, in glaciers and on mountains. Climate change is already disrupting a wide range of biological and environmental processes, at a wide variety of levels, from individuals to species, communities, ecosystems and biomes

**Genetics:** there is growing evidence that changes in phenology and morphology are the result of selection for particular traits, causing changes in gene frequency. Genetic diversity in some species (e.g. Chipmunks in the US and Garden Tiger Moths in the UK) has declined, and has been linked to the impacts of climate change.

**Morphology:** climate change has already been linked to reductions in body size in many animals, for examples birds, amphibians and fish; to changes in coloration due to selection for particular colour morphs in Tawny Owls; and mismatches in coloration in animals that change colour seasonally.

CLIMATE CHANGE  
IS PREDICTED  
TO ALTER MANY  
HABITATS GLOBALLY,  
WITH SERIOUS  
IMPLICATIONS FOR  
CODEPENDENT SPECIES  
AND BIOLOGICAL  
COMMUNITIES

**Phenology:** climate change has been linked to shifts in the timing of many biological events, for example migration times; growing season and flowering time in plants; and emergence time of insects. Shifts in timing are overwhelmingly in the direction expected from climate change.

**Distribution:** rapid and major changes in the distribution of marine, freshwater and terrestrial species are already being observed around the world. Across land and aquatic ecosystems, species have expanded the edge of their range by 17km per decade on average. Marine species have expanded by 72km per decade. For example, Japanese corals have shifted their range by up to 14km per year for around 80 years. In many places, warm-adapted species are expanding, while cold-adapted species are retreating, both polewards and to higher altitudes. Climate change is predicted to alter many habitats globally, with serious implications for codependent species and biological communities, and people who depend upon them. Over the past 40 years, maximum range shifts vary from 200km (butterflies) to 1,000km (marine crustacea).



**Population dynamics:** large, often rapid, changes in abundance have been recorded for many species in recent decades. Many changes have been linked to climate change. Coral bleaching and die-off is a well-known example. In the Arctic, the Ivory Gull has declined by 80% in Canada since the 1980s; as this species relies on sea ice, which is declining, climate change is thought to play a part in this decline.

**Interspecific relationships:** species are dependent on other species for food and habitat, or, in the case of plants, for pollination and seed dispersal. Responses to climate change are not necessarily the same for different species, leading to mismatches. For example, this is already being seen in many bird species that are dependent on caterpillars to feed their young, leading to reduced breeding success, or shifts to poorer-quality habitat.

LARGE, OFTEN  
RAPID, CHANGES  
IN ABUNDANCE HAVE  
BEEN RECORDED FOR  
MANY SPECIES IN  
RECENT DECADES

**Museum collections can support an understanding of a wide range of biological consequences of climate change, for example:**

**Morphology:** a major area that museum collections can support, for example changes in body size, shape, coloration, impacts of ocean acidification, annual and seasonal growth.

**Genetics:** changes in genetic diversity over time, changes in hybridisation and hybrid zones, changes in landscape-scale genetic patterns.

**Physiology:** disease susceptibility linked to climate change in plants and animals, e.g. the link between climate change and chytrid fungus in amphibians has been explored by studying chytrid presence/absence in historical specimens of amphibians in collections.

**Phenology:** another major area that museum collections can support, for example timing of migration, flower and seed production, emergence time of insects, from information on specimen labels and examination of specimens.

**Population dynamics, e.g. recruitment, age structure, sex ratio, abundance:** yet another area museums can support, for example through the understanding of changes in population age structure over time.

**Distribution, e.g. habitat quantity, range size, range localisation:** museums are an irreplaceable resource for understanding the distribution of animals and plants. Changes in distribution over time can often be well-exemplified from collections.

**Interspecific relationships, e.g. synchronisation of timing, novel interactions (predation, competition), community composition, changes in parasitism and vector-borne disease.** Museum collections can help explore e.g. the spread of disease agents over time. Changes in parasitisation of small birds by Cuckoos has been linked to timing mismatches and decline of Cuckoos. Shifts in community composition of birds, crustacea, butterflies and amphibians have all been linked to climate change.

**Productivity (biomass, primary productivity):** growth at different times can be studied readily from museum collections, and linked to productivity.

# MUSEUM COLLECTIONS CAN SUPPORT AN UNDERSTANDING OF A WIDE RANGE OF BIOLOGICAL CONSEQUENCES OF CLIMATE CHANGE

## References:

Kharouba, HM, JMM Lewthwaite, R Guralnick, JT Kerr and M Vellend (2018) Using insect natural history collections to study global change impacts: challenges and opportunities. *Phil. Trans. Roy. Soc. (B)* 374: 20170405.

Parmesan, C and G Yohe (2003). A globally coherent fingerprint of climate change impacts across natural systems. *Nature* 421(2 Jan): 37-42.

Pecl, G. et al. (2017). Biodiversity redistribution under climate change: impacts on ecosystems and human wellbeing. *Science* 355(6332): 1-9.

Scheffers, BR et al. (2016). The broad footprint of climate change from genes to biomes to people. *Science* 355(6313): aaf7671. <https://doi.org/10.1126/science.aaf7671>

# Museums are the original Big Data

Museums are storehouses of vast quantities of information about biodiversity, both as specimens and as data associated with specimens. They are the original Big Data.

## Museums are an enormously important source of data on biodiversity.

“For many areas of the world and for the majority of species, museum data are the best available data describing distributions... conserving biodiversity requires knowledge of the distribution of species and museum data must play an important role in this process.”


(Newbold 2010)

“Specimens stored in museums represent the most complete record describing both occurrence and distribution for most of the 1.5 million described species”

(Callinger 2015)

“Digital natural history collections provide unprecedented opportunities for collaboration across disciplines and among institutions, including those in the tropics, which have historically had limited access to specimens held in museums throughout North America and Europe. This is perhaps best exemplified by the Re flora project of Brazil, which has sought to repatriate its collections from institutions outside of their country via digitization. Thus, digitization has the potential to diversify hypothesis testing by promoting cultural diversity in science and by providing unique, vast datasets at reduced costs to researchers regardless of location”

(Meineke et al. 2018)



**M**useum data can be used to contribute to species distribution models. Models have a very widespread usage in conservation ecology, guiding species conservation and identifying conservation hotspots. Species distribution models can be used to model impacts of environmental changes, such as climate change, on particular species or ecological communities.

### Limitations of museum data

**1. Errors:** one of the great advantages of museum collections is that they can be re-checked for e.g. identifications. This is especially useful as the taxonomy of many groups is fluid, as is the taxonomy of many species/subspecies of conservation priority. Errors of collection locality, or collection date from the use of different calendars, may require careful checking. With no specimens, there can be no rechecking.

**2. Bias:** records in museum data are often biased, with four main types of bias: spatial, environmental, temporal and taxonomic. UK museums are particularly rich in material from the 19<sup>th</sup> and early 20<sup>th</sup> centuries, and in material from former British colonies. UK museums contain a globally important record of biodiversity in Africa, South Asia, Australia and New Zealand. Temporal bias is often associated with the activity of key experts and collectors. Taxonomic bias means that larger, more obvious vertebrates, invertebrates and plants were the focus of collecting. Museums should address taxonomic bias in collections, as well as continuing e.g. time series that their collections record.

**3. Discoverability:** vast amounts of data on museum specimens remain to be digitized, or incorporated into online data aggregators such as GBIF or, for data on UK biodiversity, the National Biodiversity Network (NBN). In the UK, the Joint Nature Conservation Committee states “making sure that data sources are accessible and available is critical if conservation is to be effective.”<sup>12</sup> JNCC makes use of data from GBIF and NBN, meaning that data in UK museums are not contributing towards the work of JNCC.<sup>13</sup>

“MAKING SURE THAT  
DATA SOURCES ARE  
ACCESSIBLE AND  
AVAILABLE IS CRITICAL  
IF CONSERVATION IS  
TO BE EFFECTIVE”

References:

Callinger, KM (2015). A functional group analysis of change in the abundance and distribution of 207 plant species across 115 years in north-central North America. *Biological Conservation* 24: 2439-57.

Newbold, T (2010). Applications and limitations of museum data for conservation and ecology, with particular attention to species distribution models. *Progress in Physical Geography* 34(1): 3-22.

Meineke, EK et al. (2018). Biological collections for understanding biodiversity in the Anthropocene. *Phil. Trans. Roy. Soc. (B)* 374: 20170386.

<sup>12</sup> Joint Nature Conservation Committee:  
Data sources, <http://jncc.defra.gov.uk/default.aspx?page=5319>

<sup>13</sup> The best available resource for searching UK natural history collections is <http://fenscore.natsca.org/>

Museum collections are windows on evolutionary processes

# Museum collections are windows on evolutionary processes



## Museum collections are windows on evolutionary processes

**N**atural history collections can be used to study evolution directly. Studies using museums have demonstrated significant changes in genotype and phenotype over relatively short time scales, in response to environmental (including human-induced) change.

To give some examples:

- Black-tailed Godwits have smaller ornamental feather (feathers that are involved in mate selection) than they used to, and this has been linked to habitat quality.
- Flowering times of many plants have shifted over the last century.
- Museum collections reveal changes in genetic diversity in populations over time.
- Density of pores on leaves (stomata) has declined by 40% in some species, and this has been suggested to be linked to climate change in some way.

Reference:

Holmes, MW et al. (2017). Natural history collections as windows on evolutionary processes. *Molecular Ecology* 25(4): 864-81.

- The classic example of genetic change over time is the Peppered Moth, which adapted to be black in industrial areas of Britain (and elsewhere). Recent genetic work on 19<sup>th</sup> century museum specimens has shown that the black mutant may have appeared only once, and that there was very strong selection for the black moth.
- American salamanders are smaller than they used to be.
- The colour of Tawny Owls has changed over the last century in Finland, so that grey owls are less common than previously. This has been linked to declines in snow cover and temperature increases.
- Some Australian birds, and a variety of other types of animals, have declined in body size, with a suggested link to increasing global temperatures.
- Birds and moths have developed longer wings in more fragmented habitats, although it is unclear if this is down to phenotypic plasticity or genetic change.
- 25 species of rodent demonstrate rapid change in skull shape and body size.

# Research based on natural history collections benefits science and society

## Research based on natural history collections benefits science and society

**B**iodiversity and society are heavily entangled, and people rely on biodiversity as biodiversity depends on people; biodiversity also impacts human health in many ways. Suarez and Tsutsui (2004) noted how natural history collections in museums make “innumerable contributions to science and society in areas as divergent as homeland security, public health and safety, monitoring of environmental change, and traditional taxonomy and systematics.” Museum collections make key contributions to understanding the origin and spread of human diseases. For example, the Spanish Flu of 1918 killed 20-40 million people worldwide. Analysis of bird specimens from 1918 in the Smithsonian Institution showed that the virus responsible for the Spanish Flu was more similar to the strain that affects pigs than birds.

Other studies have helped reconstruct the evolution of the virus over time, helping support the development of a vaccine. “Using museum specimens in this way safeguards society by allowing researchers to define natural reservoirs of disease and focus containment measures on appropriate populations”.

Environmental contamination represents a serious health and ecological problem. Analysis of preserved birds in the Swedish Museum of Natural History has shown that mercury pollution increased during the 1940s and 50s, probably due to industry. Eggshells of birds in museums in the UK and US demonstrated poisoning from agricultural chemicals in the second half of the twentieth century, and museum collections showed that sexual abnormalities in frogs in the US increased after use of a particular herbicide.

Reference:

Suarez, AV and ND Tsutsui (2004). The value of museum collections for research and society. *BioScience* 54(1): 66-74.

# Museums fit for the future

“Natural history museums must define and capture their future. To do so, whether freestanding or university-based, they need to enact their mission of understanding the life of the planet to inform its stewardship. They need to expand their collections and systematics enterprise to encompass the 90 percent of biological diversity that awaits discovery, documentation, description, and comprehension. As a community, they need to erect an informatics infrastructure to deploy their vast collection of information on the planet’s known biological diversity and transform this information into knowledge for science and society. They need to engage the public with this knowledge into becoming the biodiversity conscience of the nation. They need to educate their students to be proficient in the ecology and behavior of organizations as well as the ecology and systematics of organisms. And they need to adopt practices of management and leadership that can enable their complex organizational ecosystems to meet these challenges with foresight, collaboration, adaptability, and excellence.

Our natural history museums are sentinel observatories of life on Earth, peering over its past 3.8 billion years and assaying its present condition. Now it is time for them to be stewards of its future.”

Reference:  
Krishtalka, L and PS Humphrey (2000). Can natural history museums capture the future?  
*BioScience* 50(7): 611-17 (2000).

## Museums for natural futures

Since Leonard Krishtalka and Philip Humphrey made these remarks, the state of nature has declined in many ways. Drivers of global environmental change, operating separately and together, have accelerated. If anything, museums and museum collections are needed now more than ever to help conserve global biodiversity.

## Ensuring the ongoing usefulness of UK natural history collections

**T**he ongoing usefulness of collections is threatened for five main reasons. These are (with suggestions for how to address them):

1. Collections are not as visible or accessible as they could be: faced with enormous numbers of specimens, the task of digitising and networking collections is monumental. There is little appetite for funding basic documentation of collections, although this lies at the heart of making collections and collections-related information available. **Stronger support for basic care of collections and sharing collections information is needed, within museums and across the museum sector.**

2. Museum funding cuts have meant that there are less natural-history-trained curators in museums than there used to be, and they have wider ranges of responsibilities than previously. **Ensuring collections have appropriate levels of staffing, with skills to facilitate the effective use of collections, should be a key priority for museums and museum funders.**

3. There is relatively little contact between researchers and museums, or between conservation research policy workers and museum policy workers. **Building common purpose between nature conservation and museum sectors should be a priority, to ensure that museum policy development, and associated funding, contribute effectively to the achievement of environmental policies and agendas such as the CBD.**

4. There is no overarching strategy for museum collection development linked to current and developing research agendas, or local or global challenges. **Collections need to continue to be developed to ensure that time series studies can be made, and that specimens are preserved and information curated so that they are useful. This would help support the Sustainable Development Goals, through achieving effective connections between policies, funding, and preservation of natural heritage (both in museums and in the environment).**

5. Collections need to be developed in new ways, to be able to address current and future research questions that would support the conservation and management of biodiversity. **Museum workers need to work in concert with biodiversity workers, to ensure collections can meet biodiversity workers' needs in an ongoing way.**

Funding streams that help liberate museum data to e.g. National Biodiversity Network and GBIF would pay great dividends, supporting researchers in the UK and globally, and promoting much greater use of UK museum collections. Such an initiative would simultaneously deliver digital, open research, and wider public access agendas, and support developing countries. In the US, for example, the National Science Foundation has funded iDigBio (Integrated Digitized Biocollections, <https://www.idigbio.org/portal/>), with over 114 million occurrence records representing 3-400 million specimens. A similar scheme in the UK would be a very welcome development.

Biodiversity workers can benefit greatly from the unique resources offered by museums, and museums can benefit greatly from ensuring their collections and other resources make their maximum impact. A stronger synergy between the two sectors would create significant benefits for biodiversity. It just requires closer integration between the two sectors.

BIODIVERSITY WORKERS  
CAN BENEFIT GREATLY  
FROM THE UNIQUE  
RESOURCES OFFERED  
BY MUSEUMS, AND  
MUSEUMS CAN BENEFIT  
GREATLY FROM ENSURING  
THEIR COLLECTIONS AND  
OTHER RESOURCES MAKE  
THEIR MAXIMUM IMPACT

## Participants in this study

The following people and organisations participated in the British Ecological Society-funded project exploring biodiversity workers' and museum workers' perceptions of the usability of UK museum collections for biodiversity research, policy and site and species management. Their contributions are acknowledged with sincerest thanks.



Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Albania	Andrian Vaso AVCON
	Daniel Bica, Young Environmental Experts Association
Antarctica	Sandra McInnes, British Antarctic Survey
Antigua	Tricia Lovell, Fisheries Division (Antigua)
Argentina	Karine Speziale, Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET)
	Ivan Magalhaes and Luis Norberto Piacentini, Museo Argentino d Ciencias Naturales “Bernardino Rivadavia”
	Fabiano Cuezso, Universidad Nacional de Tucumán
Australia	Anna MacDonald, Australian National University
Austria	Andrea Nouak, Federal Ministry of Sustainability and Tourism (BMNT)
	Gernot Friebes, Universalmuseum Joanneum, Graz
Azores	Paulo Borges and Iris Sampaio, University of the Azores
Belgium	David Soto, KU Leuven
	Henrik Segers, Patrick Semal and Marie-Lucie Susini, Royal Belgian Institute of Natural Sciences
Benin	Houangninan Emmanuel Calèbe Midinoudewa and Zacharie Sohou, Institut de Recherches Halieutiques et Océanologiques du Bénin
Bhutan	Chencho Dorji, National Biodiversity Centre

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Bosnia and Herzegovina	Mehmed Cero, Federal Ministry of Environment and Tourism
Brazil	Ben Phalan, Federal University of Bahia
	Marlucia Bonifacio Martins, Goeldi Museum
	Miriam Marmontel, Instituto de Desenvolvimento Sustentável Mamirauá
	Andrea Ferreira Portela Nunes, MCTIC
Bulgaria	Nikolay Tzetkov, Bulgarian Ministry of Environment and Water
	Stoyan Nedkov, National Institute of Geophysics, Geodesy and Geography
Burkina Faso	Daogo Ouoba, Secrétariat Permanent du Conseil National pour le Développement Durable
Cambodia	Sophea Chhin, Ministry of Environment
Canada	David Galbraith, Royal Botanical Gardens, Burlington
Cayman Islands	Christine Rose-Smyth, Verdant Isle Orchids
Chile	Leisy Amaya Montano and Leonora Alejandra Rojas Salinas, Ministerio del Medio Ambiente
China	Alice Hughes, Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences
Colombia	Manori Goonatilake, Department of National Museums
	Francisco Arias-Isaza and Catalina Arteaga-Florez, INVEMAR

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Colombia	Jessika Carvajal and Paula Andrea Rojas Gutierrez, Ministry of Environment and Sustainable Development
	Alberto Gomez-Mejia, Quindio Botanical Garden
	Dairo Escobar, SIB
Côte d'Ivoire	Blaise Kadjo and SEA, University Félix Houphouet-Boigny, Abidjan
Czech Republic	Eliška Rolfová, Ministry of the Environment
Democratic Republic of Congo	Chantal Nkey Ngonu, Environment Ministry, Nature Conservation Department
Denmark	Johannes Erritzøe, House of Bird Research
Ecuador	Cristina Guaman Burneo and Francisco Prieto, Instituto Nacional de Biodiversidad
	Ricardo Andrade, Darwin Paúl Aulestia Córdova and Danny Guarderas, Ministerio del Ambiente
Egypt	Prof Moustafa M. Fouda, Egyptian Environmental Affairs Agency
Ethiopia	Ashenafi Ayenew, Ethiopian Biodiversity Institute
EU	Mette Lund, European Environment Agency
	Alicja Kozłowska, European Commission
Finland	Leif Schulman, Finnish Museum of Natural History, University of Helsinki
	Stig Johansson, Metsähallitus, Parks and Wildlife Finland

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
France	Florence Hervatin-Queney, Ministère de la Recherche
	Charles Lemarchand, Muséum Henri-Lecoq (Clermont-Ferrand)
	Maité Delmas, Anne Nivart and Nicolas-Colin Violaine, Muséum National d'Histoire Naturelle (Paris)
	Elise Patole-Edoumba, Museum of Natural History (La Rochelle)
	Hugo Gruson, Université de Montpellier
	Charlotte Recapet, Université de Pau et des Pays de l'Adour
Germany	Falko Glöckler, Museum für Naturkunde, Berlin
	Alison Eyres, Senckenberg Biodiversity and Climate Research Centre
	Gernot Segelbacher, University Freiburg
	Dr. Frank Brandstaetter, Zoo Dortmund
Ghana	Alex Asare, Forestry Commission of Ghana
Guatemala	Jorge Jiménez, Centro de Estudios Conservacionistas, Universidad de San Carlos de Guatemala
	Airam Andrea López, Consejo Nacional de Areas Protegidas
Guinea-Bissau	Bucar Indaj, Instituto Nacional de Estudos e Pesquisa / Centro de Estudos Ambientais e Tecnologia Apropriada

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Guyana	Diana Fernandes, Department of Environment, Ministry of the Presidency
	Rayner McAndrew, Environmental Protection Agency Guyana
Honduras	Francisco Aceituno, Secretaria de Ambiente y Recursos Naturales Honduras
	Lilian Ferrufino, UNAH
Hungary	Adrienn Gyenes, Ministry of Agriculture (Nature Conservation Dept.)
Independent	Robert Jack Dowsett and Françoise Dowsett-Lemaire, African (mainly) ornithology
India	Raphael Causanel, AB
	Manju Siliwal, Wildlife Institute of India
International	Gary Allport, Birdlife International
	Suzanne Sharrock, Botanic Gardens Conservation International
	Patricia C Wright, Centre ValBio Research Station (Madagascar), Stony Brook University (USA)
	Victoria Price, Flora and Fauna International
	Catherine Numa, IUCN Centre for Mediterranean Co-operation
	Axel Hochkirch, IUCN SSC Invertebrate Conservation Sub-Committee
	Nakul Chettri, International Centre for Integrated Mountain Development (Kathmandu)
	Dr. John EC Flux, Lagomorph Specialist Group, SSC, IUCN

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
International	Quentin Groom, Meise Botanic Garden (Belgium) and Botanical Society of Britain and Ireland
	Israel Borokini, National Centre for Genetic Resources and Biotechnology, Ibadan, Nigeria and University of Nevada, Reno, USA
	AM Surmatz, University of Amsterdam and Linnaeus University (Sweden)
	André Francisco Pilon, University of São Paulo / Int. Academy of Science, Health & Ecology
	Keessy Maria-Mrisca Kouakou, West Africa Biodiversity and Ecosystem Services
Iran	Ahmed Sabah, MOE
	Majid Moradmand, University of Isfahan
Isle of Man	Laura McCoy, Manx National Heritage
Israel	Dr. Efrat Gavish-Regev, National Natural History Collections, The Hebrew University of Jerusalem
	Shai Meiri, Tel Aviv University
Italy	Marco Zenatello, Italian Institute for Environmental Protection and Research (ISPRA)
Japan	Kenji Nakajima, Ministry of the Environment
Kiribati	Kabure Takaria, Environment and Conservation Division

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Liberia	JS Datuama Cammue and Frances Seydou, Environmental Protection Agency
Libya	Ali Elkekli, Environment General Authority
Madagascar	Fara Mihanta Andriambelo and Lolona Ramamonjisoa, Ministry of Environment, Ecology and Forests
	Solo Hery Jean Victor Rapanarivo, Parc Botanique et Zoologique de Tsimbazaza
Malawi	Mphatso Kalemba, Environmental Affairs Department
	John Chipeta, Museums of Malawi
Malaysia	RCK Chung, Forest Research Institute Malaysia
	Wan Mazni Bt Wan Jaafar, SMK Sri Gunung
Malta	Louis Fresta, Plant Protection Directorate, MESDC
Mauritania	Abdallahi Hmeyada, ENS d Nouakchott
Mexico	Patrick Koleff, CONABIO
	Joaquin Arroyo-Cabrales, Insitituo Nacional de Antropologia e Historia
Netherlands	Klaas-Douwe Benediktus Dijkstra, Peter van Welzen and Luc Willemse, Naturalis Biodiversity Centre
	Emily van Egmond, Vrije Universiteit Amsterdam
New Zealand	Clinton Duffy and Kelly Frogley, Department of Conservation
	Siobhan Leachman, independent researcher

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
New Zealand	Victoria Leachman, independent researcher
	Peter Buchanan, Landcare Research
	Susan Waugh, Museum of New Zealand Te Papa Tongarewa
	Phil Garnock-Jones, Victoria University of Wellington
	Trudi Webster, Yellow-eyed Penguin Trust
Nigeria	Olayinka Osuolale, Elizade University, Ilara-Mokin
	Shehu Ndaman, Federal Ministry of Environment
	Ahmed Labaran, Federal Ministry of Environment, Department of Forestry
Norway	Gaute Voigt-Hanssen, Ministry of Climate and the Environment
	Lise Lykke Steffensen, Nordgen
	Svein Terje Batvik, Norwegian Environment Agency
	Rob Barrett, Tromsø University Museum
Oman	Amran Mohammed Al Kamzari and Ahmen Al-Shukaili, Ministry of Environment and Climate Affairs
Panama	Dario Luque, Ministerio de Ambiente de Panamá
Philippines	Alessandro Ponzio, Large Marine Vertebrates Research Institute Philippines



Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Poland	Ewa Pisarczyk, General Directorate for Environmental Protection
	Bożena Haczek, Ministry of the Environment
	Wioletta Wawer, Museum and Institute of Zoology, Polish Academy of Sciences
	Łukasz Trębicki, University of Lodz
Portugal	Cristina Cruz, Faculty of Sciences of the University of Lisbon
Republic of Ireland	John Lavery, Ballaghadigue Woodland Project
	Liam Lysaght, National Biodiversity Data Centre
	Colin Kelleher, National Botanic Gardens of Ireland
Romania	Andreea Gabriela Ionescu, National Environmental Protection Agency
Russia	Yuliya Glazyrina, Perm Regional Museum
Senegal	Abdoulaye Diop, Direction des Parcs Nationaux
	Lamine Kane, Ministère de l'Environnement et du Développement Durable
Serbia	Biljana Panjkovic, Natasa Pil and Nikola Stojnić, Institute of Nature Conservation of Vojvodina Province
Slovakia	Ľudmila Černecká, Institute of Forest Ecology, Slovak Academy of Sciences
	Peter Manka, Ministry of Environment of the Slovak Republic
	Anna Bérešová, Plant Science and Biodiversity Centre, Slovak Academy of Sciences
	Libor Ulrych, State Nature Conservancy of Slovak Republic

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Slovenia	Robert Turk, Institute of the Republic of Slovenia for Nature Conservation
	Robert Boljesic, Ministry for the Environment and Spatial Planning
Somalia	Kenadid Mumin Cali, Somali Environmental Affairs
South Africa	Chris Woolley, University of Witwatersrand (formerly)
South Sudan	Charles Lwanga Tiba, Ministry of Environment and Forestry
Spain	Andy Green, Doñana Biological Station, CSIC
	Ministry of Ecological Transition
	Joaquín Hortal and Jorge Ari Noriega, Museo Nacional de Ciencias Naturales (MNCN-CSIC)
	Pedro Morais, Universidad Autónoma de Madrid
Sri Lanka	RHMP Abeykoon, Ministry of Mahaweli Development and Environment
Sweden	Lars Jonsson, Kristianstad University
	Heather Wood, Stockholm University
	Per Alstrom, Swedish University of Agricultural Sciences and Uppsala University
Tajikistan	Shermatov Khisravshokh, National Biodiversity and Biosafety Centre, Tajikistan
Togo	Pierre Radji, University of Lomé

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Trinidad and Tobago	Rahanna Juman and Alana Jute, Institute of Marine Affairs
	Yasmin S. Baksh-Comeau, National Herbarium of Trinidad and Tobago
Tuvalu	Soseala Tinilau, Department of Environment
UK	David Brown, Aberdeenshire Council Ranger Service
	Angela Bentley, Aquinas College, Stockport
	Simon Trevenna, BEIS
	Francesca Brailsford, Bangor University
	Rick Stafford, Bournemouth University
	Jon Mortin, Bristol Regional Environmental Records Centre
	Gerald Legg, British Arachnological Society
	Maggie Keegan, British Ecological Society
	Philipp Boersch-Supan, British Trust for Ornithology
	Craig Macadam, Buglife
	Harry Clarke, Butterfly Conservation Volunteer
	Abigail Parker, Tom Jameson, Matthew Payes and Michael Pashkevich, Cambridge University Museum of Zoology
	Tom August, Richard Broughton, Francois Edwards, Alan Gray and Nick Isaac, Centre for Ecology and Hydrology

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
UK	Pauline Campbell, Centre for Environmental Data and Recording (CEDaR), National Museums Northern Ireland
	Fiona Greenlees, Countryside Ranger Service, Glasgow City Council
	Deborah Muscat, Cumbria Biodiversity Data Centre (Tullie House Museum)
	Thomas Murphy, DEFRA
	Ryan Lumber, De Montford University, Leicester
	Anne Oxburgh, Edge Hill University
	Nina O'Hanlon, Environmental Research Institute, University of the Highlands and Islands
	Lorna Shaw, Essex Wildlife Trust Biological Records Centre
	James Banks, Keiron Brown, Gerry Thomas and Sue Townsend, Field Studies Council
	Richard Burkmar, Field Studies Council and British Arachnological Society
	Richard Smith, Fife Council
	Katharine Davies, Greenspace Information for Greater London
	Heather Campbell, Harper Adams University
	Jon Radley, Heritage & Culture Warwickshire
Ro Scott, Highland Biological Recording Group	

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
UK	Gill Campbell and Zoe Hazell, Historic England
	Jacqui Huntley, Historic England (formerly)
	Galina Jonsson, Imperial College London
	Andrew Cunningham, Institute of Zoology, Zoological Society of London
	Amanda Gregory, Ant Maddock, Christine Maggs, Jules McAlpine, Megan Parry and Matt Smith, Joint Nature Conservation Committee
	Jo Mullett, Knotweed Control Swansea Ltd
	Robyn Grant, Ed Harris, Martin Jones, Hannah Mossman, Jenny Rowntree, Tommy Sandri, Emily Schofield and Alejandra Zamora, Manchester Metropolitan University
	Graham Proudlove, Manchester Museum
	Dr. Richard Pearce, Moreton Morrell College
	Jennifer Wickens, NERC
	Christopher Cleal, Dr. Ingrid Jüttner and Michael Wilson, National Museum Wales/Amgueddfa Cymru
	Angela Hibbert and Prof. Philip Woodworth, National Oceanography Centre, Liverpool
	David Tosh, National Museums Northern Ireland
	Humphrey Crick, Natural England
Christopher Lyal, John Jackson and Laurence Livermore, Natural History Museum	

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
UK	Neil Redgate, Northern Highlands Ecological Research Centre
	Peter Glaves and Mike Jeffries, Northumbria University
	Fred Owen, Nottingham Trent University
	Claire O’Kane, OIPS
	Darren Mann, Oxford University Museum of Natural History
	Sarah Ross, Penny Anderson Associates
	Jane Hallam and Axel Rossberg, Queen Mary University of London
	Lara Weaver, Rhondda Cynon Taf County Borough Council
	Antonia Ford, Roehampton University
	Alan Paton and Brian Douglas, Royal Botanic Gardens, Kew
	Janet Sprent, Royal Botanic Gardens Edinburgh
	Scott Elias, Royal Holloway, University of London (formerly)
	Tom Finch, RSPB
	Gill Murray-Dickson, Royal Zoological Society of Scotland
	Sandra Alice Winnister, SGC Security
	Scot Mathieson, Scottish Environment Protection Agency
Prof. Colin Bean and Clive Mitchell, Scottish Natural Heritage	

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
UK	Vera Hazelwood, Smith Institute
	Dan Carpenter, Thames Valley Environmental Records Centre
	Bernard Picton, Ulster Museum, National Museums Northern Ireland
	Thomas Shannon, University of Aberdeen
	Susan Quick, University of Birmingham
	Elizabeth Boakes, UCL
	Sarah Luke, University of Cambridge
	Samuel Brockington, University of Cambridge Botanic Garden
	Matt Geary, Achaz von Hardenberg and Catherine Peters, University of Chester
	Andy Chick, University of Derby
	Tiffany Ki, University of East Anglia/Cambridge University Museum of Zoology
	Laura Gordon, University of Glasgow
	Isabella Capellini and Magnus Johnson, University of Hull
	Tom Dally, Freya Lumb and Josephine McSherry, University of Leeds
Prof. Amanda Bamford, Prof. Richard Bardgett, William Craig, Prof. Sheena Cruickshank, James Evans, Tucker Gilman, Nick Harvey, Chris Klingenberg, Prof. David Schultz, Suzanne Schultz, Holly Shiels, Emma Shuttleworth and Andrew Snow, University of Manchester	

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
UK	Prof. Jeff Ollerton, University of Northampton
	Adam Algar and Alastair Gibbons, University of Nottingham
	Heather Kazara, University of Oxford
	Jane Akerman, David Bilton, Amelia Bridges and Dr Lucy Turner, University of Plymouth
	Dr Amanda Callaghan and Ben Thomas, University of Reading
	Paul Flintoft, University of Reading/ Historic England
	Prof. Tim Birkhead, Lauriane Chalmin-Pui and Lizzie Wright, University of Sheffield
	Dale Serjeantson, University of Southampton
	Abbie Chapman, University of Southampton and UCL
	Sarah Alewijnse, University of Southampton/ Natural History Museum
	Faith Jones, Robert Patchett and Craig Smeaton, University of St. Andrews
	Jorn Scharlemann, University of Sussex
	Geoff Oxford and Lucy Mitchell, University of York
	Nick Daffern, Wardell Armstrong
	Ian Parker, Wingate Wood
Liz Pearson, Worcestershire Archaeology	
Monika Bohm, Zoological Society of London	



Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
UK	Dr. Paul Buckland, independent researcher
	Catherine Duigan
	Eric Greenwood
	Kathryn Mason
	Anthony Russell-Smith, arachnologist
USA	Elizabeth Prendini and Lorenzo Prendini, American Museum of Natural History, New York
	Mark Lawler, Antioch University, New England
	Chad Heins, Bethany Lutheran College, MN
	David Bixler, Boreal Studies Research Labs, Tower, MN
	Tim Karels, California State University
	Eric Dorfman, Carnegie Museum of Natural History, Pittsburgh
	Paula Cushing and John Demboski, Denver Museum of Science and Nature
	Larry Page, Florida Museum of Natural History
	Evon Hekkala, Fordham/ American Museum of Natural History
	Robert Kallall, George Washington University
	Breda Zimkus, Museum of Comparative Zoology, Harvard University
	Steven Canty, Smithsonian Institution

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
USA	Steven Auscavitch, Temple University
	Chris Brown, Tennessee Tech University
	Adam E Vorsino, US Fish and Wildlife Service
	Falk Huettmann, University of Alaska, Fairbanks
	Link Olson, University of Alaska Museum
	Roisin Stanbrook, University of Central Florida
	Vasyl Tkach, University of North Dakota
	Marc Milne, University of Indianapolis
	Bruce Cutler, University of Kansas
	Teresa Pegan, University of Michigan
	Joseph Cook and Ethan Gyllenhaal, University of New Mexico
	Daniel Formanowicz, University of Texas
	Sievert Rohwer, University of Washington (Biology and Burke Museum)
	Lawrence Gall, Yale Peabody Museum of Natural History
Vietnam	Dinh Thi Nguyen, Institutue of Ecology and Biological Resources
	Truong Quynh Trang, Nature and Biodiversity Conservation Agency

Participants in this study

<b>Biodiversity workers</b> (alphabetically by country/territory, and by institution)	
Yemen	Afrah Abo Ghanem, Environment Protection Authority
Zambia	Ephraim Mwepya Shitimam, Ministry of Lands and Natural Resources
Zimbabwe	Jonathan Mufandaedza, National Biotechnology Authority

## **UK museum workers** (alphabetically by institution)

Henry Ford, Bath Royal Literary and Scientific Institution

Don Stenhouse, Bolton Museum

Lydia Dean, Borthwick Institute for Archives, University of York

Gerard McGowan, Bradford Museums and Galleries

Claudia Hildebrandt, Bristol Museum/University of Bristol

Ray Barnett and Rhian Rowson, Bristol Museums, Galleries and Archives

Jack Ashby, Ann Charlton, Henry Disney, Matthew Hayes and Matthew Lowe, Cambridge University Museum of Zoology

Amanda Callaghan, Cole Museum, University of Reading

Collin Kelleher, DBN Herbarium, National Botanic Gardens of Ireland

Ian King, Earth Sciences, University of Plymouth

Patricia Francis, Gallery and Museum Oldham

Aimee Flack, Garden City Collection

Steve Green, Gilbert White and The Oates Collections

Richard Sutcliffe, Glasgow Museums

Hannah Cornish, Grant Museum of Zoology, UCL

Ali Wells, Herbert Art Gallery and Museum

Emma Nicholls, Horniman Museum and Gardens

## **UK museum workers** (alphabetically by institution)

Geoffrey Hancock, Maggie Reilly and Jeanne Robinson,  
Hunterian Museum, University of Glasgow

Kathryn Riddington, Ipswich Museum

Clare Brown and Rebecca Machin, Leeds Museums and Galleries

David Lampard, Leisure and Culture Dundee

David Gelsthorpe, Lindsey Loughtman, Kate Sherburn and Bryan Sitch,  
Manchester Museum, University of Manchester

Laura McCoy, Manx National Heritage

Alexia Clark, Museum in the Park

Jessica Burdge, Museums of the University of St Andrews

John Wilson and Stephen Judd, National Museums Liverpool

Vladimir Blagoderov, Peter Davidson, Jerry Herman, Bob McGowan,  
Sankurie Pye and Fiona Ware, National Museums Scotland

Trevor Bailey, Jennifer Gallichan, Katie Mortimer-Jones, Graham Oliver,  
Ben Rowson and Michael Wilson, National Museum Wales/Amgueddfa Cymru

Tammy Horton, National Oceanography Centre, Southampton

Max Barclay, Alex Bond, Mark Carine, Zoe Hughes, John Jackson  
and Claire Mellish, Natural History Museum

Ros Allwood, North Herts. Museum

## **UK museum workers** (alphabetically by institution)

Mark Carnall, Elizabeth Howlett, Chris Jarvis, Darren Mann, Zoë Simmons,  
Amoret Spooner and Eileen Westwig, Oxford University Museum of Natural History

Christine Taylor, Portsmouth Museums

Eva Bredsdorff, Powysland and Llanidloes Museums

Holly Morgenroth, Royal Albert Memorial Museum, Exeter

Elsbeth Haston, Royal Botanic Garden Edinburgh

Mark Nesbitt, Royal Botanic Gardens, Kew (Economic Botany)

James Lumbard, Saffron Walden Museum

Jim Middleton, Scarborough Museums Trust

Helena Jaeschke, South West Museum Development

Alexia Clark, Stroud District (Cowle) Museum Service

Simon Jackson, Tullie House Museum and Art Gallery, Carlisle

Dan Gordon, Tyne and Wear Archives and Museums

Matthew Jarron, University of Dundee Museum Services

Sarah King, York Museums Trust

Dr Muhammad Abbas, Pakistan Museum of Natural History

Claudia Baider, The Mauritius Herbarium

C. Bracker, ZMH (Hamburg, Germany)

**UK museum workers** (alphabetically by institution)

Fernando Cervantes, Instituto de Biología,  
Universidad Nacional Autónoma de México

Eulàlia Garcia-Franquesa and Franceso Uribe,  
Museu de Ciències Naturals de Barcelona

Mark Graham, Canadian Museum of Nature

Jude Philp, Macleay Museum, University of Sydney, Australia

Daliborka Stankovic, Natural History Museum Belgrade, Serbia

# References and further reading



## References and further reading

- Andrew, C et al. (2018). Fungarium specimens: a largely untapped source in global change biology and beyond. *Phil. Trans. Roy. Soc. (B)* 374: 20170392.
- Bartomeus I, Ascher JS, Gibbs J, Danforth BN, Wagner DL, Hedtko SM, Winfree R (2013). Historical changes in northeastern US bee pollinators related to shared ecological traits. *Proc. Natl Acad. Sci. USA* 110, 4656-60.
- Bartomeus, I, JR Stavert, D Ward and O Aguado (2018). Historical collections as a tool for assessing the global pollination crisis. *Phil. Trans. Roy. Soc. (B)* 374: 20170389.
- Beaulieu, C et al. (2018). Bookkeeping of insect herbivory trends in herbarium specimens of purple loosestrife (*Lythrum salicaria*). *Phil. Trans. Roy. Soc. (B)* 374: 20170398.
- Callinger, KM (2015). A functional group analysis of change in the abundance and distribution of 207 plant species across 115 years in north-central North America. *Biological Conservation* 24: 2439-57.
- Colla, SR, F Gadallah, L Richardson, D Wagner and L Gall (2012). Assessing declines of North American bumble bees (*Bombus* spp.) using museum specimens. *Biol. Cons.* 21: 3585-95.
- Cridland, JM, SR Ramirez, CA Dean, A Sciligo and ND Tsutsui (2017). Genome sequencing of museum specimens reveals rapid changes in the genetic composition of Honey Bees in California. *Genome Biol. Evol.* 10(2): 458-72.
- Daru, BH et al. (2018). A novel proof of concept for capturing the diversity of endophytic fungi preserved in herbarium specimens. *Phil. Trans. Roy. Soc. (B)* 374: 20170395.
- Dorfman, E (ed) (2017). *The Future of Natural History Museums*. ICOM Advances in Museum Research. Routledge, Abingdon (Oxon).
- Edwards, SV (2005). Bird collections: development and use of a scientific resource. *Auk* 122:966-971.
- Funk, VA (2014). The erosion of collections-based science: alarming trend or coincidence? *Plant Press* 17(4).
- Holmes, MW et al. (2017). Natural history collections as windows on evolutionary processes. *Molecular Ecology* 25(4): 864-81.
- IPBES (Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services) (2019). Summary for policymakers of the global assessment report on biodiversity and ecosystem services. <https://www.ipbes.net/news/ipbes-global-assessment-summary-policymakers-pdf>
- Joint Nature Conservation Committee: Data sources, <http://jncc.defra.gov.uk/default.aspx?page=5319>
- Kemp, C (2015). The endangered dead. *Nature* 518: 292-294.
- Kharouba, HM, JMM Lewthwaite, R Guralnick, JT Kerr and M Vellend (2018) Using insect natural history collections to study global change impacts: challenges and opportunities. *Phil. Trans. Roy. Soc. (B)* 374: 20170405.
- Kleijn, D and I Raemakers (2007). A retrospective analysis of pollen host plant use by stable and declining bumble bee species. *Ecology* 89(7): 1811-23.

## References and further reading

- Kling, MM et al. (2018). Facets of phylodiversity: evolutionary diversification, divergence and survival as conservation targets. *Phil. Trans. Roy. Soc. (B)* 374: 20170397.
- Krishtalka, L and PS Humphrey (2000). Can natural history museums capture the future? *BioScience* 50(7): 611-17 (2000).
- Lughadha, EN et al. (2018). The use and misuse of herbarium specimens in evaluating plant extinction risks. *Phil. Trans. Roy. Soc. (B)* 374: 20170402.
- MacLean, HJ et al. (2018). Using museum specimens to track morphological shifts through climate change. *Phil. Trans. Roy. Soc. (B)* 374: 20170404.
- McAllister, CA et al. (2018). Specimen-based analysis of morphology and the environment in ecologically dominant grasses: the power of the herbarium. *Phil. Trans. Roy. Soc. (B)* 374: 20170403.
- McLean, BS et al. (2016). Natural history collections-based research: progress, promise, and best practices. *Journal of Mammalogy* 97(1): 287-97.
- Meineke, EK and TJ Davies (2018). Museum specimens provide novel insights into changing plant-herbivore interactions. *Phil. Trans. Roy. Soc. (B)* 374: 20170393.
- Meineke, EK et al. (2018). Biological collections for understanding biodiversity in the Anthropocene. *Phil. Trans. Roy. Soc. (B)* 374: 20170386.
- Millennium Ecosystem Assessment (2005). *Ecosystems and Human Well-being: synthesis*. Island Press, Washington DC.
- Morales CL, Arbetman MP, Cameron SA and Aizen MA (2013). Rapid ecological replacement of a native bumble bee by invasive species. *Front. Ecol. Environ.* 11, 529-34.
- Nelson, G and S Ellis (2018). The history and impact of digitization and digital data mobilization on biodiversity research. *Phil. Trans. Roy. Soc. (B)* 374: 20170391.
- Neugarten, RA et al. (2018). *Tools for measuring, modelling, and valuing ecosystem services: Guidance for Key Biodiversity Areas, natural World Heritage Sites, and protected areas*. <https://portals.iucn.org/library/sites/library/files/documents/PAG-028-En.pdf>
- Newbold, T (2010). Applications and limitations of museum data for conservation and ecology, with particular attention to species distribution models. *Progress in Physical Geography* 34(1): 3-22.
- Nieto A et al. (2014). European red list of bees. [http://ec.europa.eu/environment/nature/conservation/species/redlist/downloads/European\\_bees.pdf](http://ec.europa.eu/environment/nature/conservation/species/redlist/downloads/European_bees.pdf)
- Park, DS (2018). Herbarium specimens reveal substantial and unexpected variation in phenological sensitivity across the eastern United States. *Proc. Roy. Soc. (B)* 374: 20170394.
- Parmesan, C and G Yohe (2003). A globally coherent fingerprint of climate change impacts across natural systems. *Nature* 421(2 Jan): 37-42.
- Pecl, G et al. (2017). Biodiversity redistribution under climate change: impacts on ecosystems and human wellbeing. *Science* 355(6332): 1-9.

## References and further reading

Potts SG *et al.* (2016) IPBES: summary for policymakers of the assessment report of the IPBES on pollinators, pollination and food production. [https://www.ipbes.net/system/tdf/spm\\_deliverable\\_3a\\_pollination\\_20170222.pdf?file=1&type=node&id=15248](https://www.ipbes.net/system/tdf/spm_deliverable_3a_pollination_20170222.pdf?file=1&type=node&id=15248)

Pyke, GH and PR Ehrlich (2010). Biological collections and ecological/environmental research: a review, some observations and a look to the future. *Biological Reviews* 85: 247-266.

Robbirt, KM, DL Roberts, ML Hutchings and AJ Davy (2014). Potential disruption of pollination in a sexually deceptive orchid by climatic change. *Current Biol.* 24: 2845-9.

Rocha, LA *et al.* (2014). Specimen collection: an essential tool. *Science* 344: 814-815.

Royal Society (2017). A snapshot of UK research infrastructures. <https://royalsociety.org/topics-policy/publications/2018/research-infrastructures-uk-snapshot/>

Scheffers, BR *et al.* (2016). The broad footprint of climate change from genes to biomes to people. *Science* 355(6313): aaf7671. <https://doi.org/10.1126/science.aaf7671>

Schmitt, CJ *et al.* (2018). Museum specimens of terrestrial vertebrates are sensitive predictors of environmental change in the Anthropocene. *Phil. Trans. Roy. Soc. (B)* 374: 20170387.

Suarez, AV and ND Tsutsui (2004). The value of museum collections for research and society. *BioScience* 54(1): 66-74.

Sutherland, WJ *et al.* (2009). One hundred questions of importance to the conservation of global biological diversity. *Cons. Biol.* 23(3): 557-67.

UKRI (UK Research and Innovation) (2019). UKRI Infrastructure Roadmap: initial analysis of infrastructure questionnaire responses and description of the landscape. <https://www.ukri.org/files/infrastructure/landscape-analysis-2-pdf/>

(US) National Science and Technology Council, Committee on Science, Interagency Working Group on Scientific Collections. *Scientific Collections: Mission-Critical Infrastructure of Federal Science Agencies*. Office of Science and Technology Policy, Washington, DC, 2009

Winker, K (2004). Natural history museums in a postbiodiversity era. *BioScience* 54: 455-459.

# Acknowledgements

I am grateful to the British Ecological Society for funding an element of this work, and to Prof. WJ Sutherland for useful discussion about the project. I am extremely grateful to all the scientists, conservation policy workers, site and species managers, biological data workers and UK museum workers who contributed their views to the two 100 Questions online surveys. Thank you very much.

I am also grateful to Helen Mark (Manchester Museum and Galleries Partnership) for assistance in setting up the Survey Monkey online questionnaires for the '100 Questions' project, and to Dr Liz Hide (now Director of the Sedgwick Museum of Earth Sciences, University of Cambridge) for useful discussion and help with encouraging responses to the museum survey.

H McGhie was first awarded a grant for this project from the British Ecological Society while he worked at Manchester Museum, The University of Manchester.



Acknowledgements







